

Product Sheet lon+2 Platinum

English Version



fractal-design.com



Index

3 Overview

4

- Key features
- 5-6 General specifications
- 7 Package contents Additional information

Ion+ 2 Platinum

The power of silence.

The lon+ 2 Platinum is a high-performance fully modular PSU with whisper-quiet operation, enhanced cable flexibility and superior output quality. It ships with two 8-pin ATX12V/EPS cables, ensuring compatibility with new motherboards.

A user selectable semi-passive Zero RPM mode maintains pure silence under light loads, and the custom-tailored 140 mm fan with FDB bearings stays practically whisper-quiet even under heavy load. Revolutionary UltraFlex[™] cable with its ultra-high strand count wire and special insulation bends and twists effortlessly to make installation and cable-routing a breeze.

Ion+ 2 Platinum is available in 560, 660, 760 and 860 watt capacities, all with 80PLUS® Platinum Efficiency, 10-year warranty, and a full electrical protection suite for peace of mind.



Fractal

Key features

- 80PLUS® Platinum efficiency for optimized electricity use and reduced heat generation
- Great electrical output quality with tight voltage regulation and low ripple and noise
- Fully modular design for reduced clutter and maximum ease of installation and with Fractal Design UltraFlex™ (extra bendable soft cables) for better cable management
- Equipped with a large high-performance Fractal Design Dynamic GP-14 140 mm fan, custom-tailored for power supply use with an exceptionally low minimum speed and a true long-life FDB bearing
- User selectable semi-passive operation allows for either passive operation in low load situations or continuous low speed fan operation for reduced component stress
- Compact 150 mm depth allows for installation in compact cases or provides additional cable management room in larger cases
- Premium Japanese 105°C capacitors provide maximum reliability and durability
- Extensive 10-year warranty and a full electrical protection suite provides peace of mind
- Supports the latest ATX 2.52 standard with improved start-up time and transient load response
- Premium storage bags for cables and PSU
- All models include two 8-pin ATX12V/EPS cables, ensuring compatibility with new motherboards







4

Fractal

General specifications

| 80PLUS® Certification | • Platinum | | |
|---|--|--|--|
| Modular cables | • Fully modular | | |
| Fan type | • 140 mm FDB bearing Fractal Design Dynamic series fan | | |
| Maximum operating temperature (full load) | • 50°C | | |
| Semi-passive operation | • Yes, user selectable (Zero RPM) | | |
| Capacitors | • Japanese | | |
| Life expectancy | • 100,000 hours | | |
| PSU specification compliance | • ATX12V 2.52; EPS12V 2.92 | | |
| Cable type | • Modular 24-pin cable: Black UltraFlex™ wires in braided sleeve | | |
| | • Other modular cables: Flat black UltraFlex™ wires | | |
| Protection features | Over voltage protection | | |
| | Under voltage protection | | |
| | Overpower protection | | |
| | Short circuit protection | | |
| | Over current protection | | |
| | Over temperature protection | | |
| | | | |

General specifications

| Input voltage | • 100-240V C |
|---------------------------------|---|
| Input frequency | • 50-60 Hz |
| Standby efficiency | • ErP 2013 (<0.45W @230. VAC, 45 mA load on +5Vsb) |
| Sleep state compliance | • C6/C7 |
| Approvals & Certifications | • CE, FCC, TUV, cTUVus, EAC, RCM, CCC, BSMI, CB, KC+KCC |
| Unit dimensions - WxHxD (mm) | • 150 x 150 x 86 |
| Net weight (unit & DC cables) | • 560W – 2,24 kg |
| | • 660W – 2,34 kg |
| | • 760W – 2,53 kg |
| | • 860W – 2,53 kg |
| Package dimensions – LxWxH (mm) | • 325 x 210 x 110 |
| Package weight (w/o AC cable) | • 560W – 2,76 kg |
| | • 660W – 2,86 kg |
| | • 760W – 3,06 kg |
| | • 860W – 3,06 kg |
| Warranty | • 10 Years |
| | |



Package contents

- Power Supply
- Power Supply storage bag
- Modular cable kit in storage bag
- Manual
- AC Power cord
- Velcro cable ties and mounting screw pack

Additional information

| Product | SKU | EAN | UPC | JAN |
|----------------------|---------------|---------------|--------------|---------------|
| Ion+ 2 Platinum 560W | FD-P-IA2P-560 | 7340172702856 | 843276102852 | 4537694282703 |
| lon+ 2 Platinum 660W | FD-P-IA2P-660 | 7340172702863 | 843276102869 | 4537694282710 |
| lon+ 2 Platinum 760W | FD-P-IA2P-760 | 7340172702870 | 843276102876 | 4537694282727 |
| Ion+ 2 Platinum 860W | FD-P-IA2P-860 | 7340172702887 | 843276102883 | 4537694282734 |

7

Fractal