




HYPERDRIVE® FLEX

5 Port USB-C® Hub



USER GUIDE

Table of Contents

Copyright	1
Trademarks	1
Regulatory Compliance	2
FCC Conditions	2
CE	2
WEEE Information	2
EN-Introduction	3
Package Contents	3
Product Overview	4
How to Connect	4
Power Distribution	5
Specifications	5
DE-Introduction	7
FR-Introduction	11
ES-Introduction	15
Safety Instructions	19

Before attempting to connect, operate or adjust this product, please save and read the User Guide completely. The style of the product shown in this User Guide may be different from the actual unit due to various models.

Copyright

This document contains proprietary information protected by copyright. All rights are reserved. No part of this guide may be reproduced by any mechanical, electronic or other means, in any form, without prior written permission of the manufacturer.

Trademarks

Hyper, the ++Hyper logo, and HyperDrive are trademarks or registered trademarks of Targus International LLC in the U.S. and in certain other countries. All trademarks and registered trademarks are the property of their respective owners or companies.

Regulatory Compliance

FCC Conditions

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

CE

This equipment is in compliance with the requirements of the following regulations: EN 55032/EN 55035: CLASS B

WEEE Information

For EU (European Union) member users: According to the WEEE (Waste electrical and electronic equipment) Directive, do not dispose of this product as household waste or commercial waste. Waste electrical and electronic equipment should be appropriately collected and recycled as required by practices established for your country. For information on recycling of this product, please contact your local authorities, your household waste disposal service or the shop where you purchased the product.

CAN ICES(B)/NMB(B)



EN-Introduction

The HyperDrive Flex 5 Port USB-C Hub provides connectivity for USB-C laptops, allowing connection to multiple peripherals. It includes an HDMI 4K30Hz port for external displays, a USB-C 100W PD passthrough for charging, a USB-C (5Gbps) port, and two USB-A (5Gbps) ports for data transfer. This hub is designed for efficient expansion and compatibility with various devices. It has also been made with 75% recycled post-consumer recycled materials and falls within our EcoSmart product category.

Package Contents

- HyperDrive Flex 5 Port USB-C Hub
- User Guide

Requirements

- The HyperDrive USB-C Hub supports multiple devices.
- The HyperDrive USB-C Hub devices are supported on Windows, Chrome OS and macOS.
- The HyperDrive USB-C Hub devices are supported without extra-driver installation.


Product Compatibility

- Windows® PC
- MacBook®
- Chromebook™

Operating System


- Windows 10/11, Chrome OS, macOS 10.14 and above, Android OS, IOS

Product Overview



How to Connect

Connect to the laptop via the USB-C port.



This equipment complies with European Commission Regulation (EU) 2023/826.

Standby mode power: < 0.5W

Above testing data is based on below external power supply which is not included.

External power supply information..:		Manufacturer: Targus International LLC	
		Model: APA108	
		Input rating:	100-240Va.c., 50-60Hz, 1.8A
		Output rating:	5Vdc, 3.0A; 9Vdc, 3.0A; 12Vdc, 3.0A; 15Vdc, 3.0A; 20Vdc, 5A

Power Distribution

Item	Description
1. USB-C Port	Connects to host
2. USB C PD Port	Connects to a USB-C adapter
3. USB-C Port	Connects to a USB-C device
4. HDMI Port	Connects to a HDMI device
5. USB-A Port	Connects to a USB-A device
6. USB-A Port	Connects to a USB-A device

Specifications

Interface:	USB-C (Host) x1	USB 3.2 Gen 1 5Gbps, PD 3.0 Passthrough Support 5V/1.5A,9V/2A,15V/2A, 20V/4.25A, max charging power 85W
	USB-C (Device)	USB 3.2 Gen 1 5Gbps
	USB-A (Device) x 2	USB 3.2 Gen 1 5Gbps
	HDMI (Device)	HDMI 1.4 Support 4K30Hz display
	USB-C (Device) x1	Connect PD adaptor, USB 3.2 Gen 1, 5 Gbps, PD 3.0 Passthrough Support 5V/3A, 9V/3A, 15V/3A, 20V/5A max charging power 100W
Dimension & Weight	Length	122mm/ 4.8inch
	Width	35mm/ 1.38inch
	Height	13mm/ 0.51inch
	Weight	75g/ 0.22lb

2 YEAR LIMITED WARRANTY

PORTUGAL AND SPAIN CUSTOMERS: 3 YEARS LIMITED

WARRANTY OR AS REQUIRED BY LOCAL LAWS.

We pride ourselves on the quality of our products. For complete warranty details and a list of our Worldwide offices, please visit www.HyperShop.com. Hyper product warranty does not cover any device or product that is not manufactured by Hyper (including, but not limited to, laptops, smartphones, devices, or any other product that may be used in connection with the Hyper product). Hyper Limited Warranty provided is subject to any rights and remedies the purchaser may have under local laws. Australian customers: For complete warranty details, see warranty statement enclosed.

DE-Einleitung

Der HyperDrive Flex 5 Port USB-C Hub bietet Konnektivität für USB-C-Laptops und ermöglicht den Anschluss mehrerer Peripheriegeräte. Er verfügt über einen HDMI 4K30Hz-Anschluss für externe Displays, einen USB-C 100W PD-Passthrough zum Laden, einen USB-C-Anschluss (5 Gbps) und zwei USB-A-Anschlüsse (5 Gbps) für Datenübertragungen. Dieser Hub ist für eine effiziente Erweiterung und Kompatibilität mit verschiedenen Geräten konzipiert. Außerdem besteht er zu 75 % aus recycelten Materialien nach der Nutzung durch Verbraucher und gehört zur EcoSmart-Produktkategorie.

Verpackungsinhalt

- HyperDrive Flex 5 Port USB-C Hub
- Benutzerhandbuch

Anforderungen

- Der HyperDrive USB-C Hub unterstützt mehrere Geräte.
- Die HyperDrive USB-C Hub-Geräte werden unter Windows, Chrome OS und macOS unterstützt.
- Die HyperDrive USB-C Hub-Geräte werden ohne zusätzliche Treiberinstallation unterstützt.


Produktkompatibilität

- Windows® PC
- MacBook®
- Chromebook™

Betriebssystem


- Windows 10/11, Chrome OS, macOS 10.14 and above, Android OS, IOS

Produktübersicht



Verbindungsmodus

Verbinden Sie den Laptop über den USB-C-Anschluss.



Dieses Gerät entspricht der Verordnung (EU) 2023/826 der Europäischen Kommission.

Standby-Leistungsaufnahme: < 0,5W

Die obigen Testdaten basieren auf dem unten aufgeführten externen Netzteil, das nicht enthalten ist.

Informationen zum externen Netzteil..:	Hersteller: Targus International LLC	
	Modell: APA108	
	Eingangsrating:	100-240Va.c., 50-60Hz, 1.8A
	Ausgangsrating:	5Vdc, 3.0A; 9Vdc, 3.0A; 12Vdc, 3.0A; 15Vdc, 3.0A; 20Vdc, 5A

Stromverteilung

Element	Beschreibung
1. USB-C-Anschluss	Verbindet mit Host
2. USB-C PD-Anschluss	Verbindet mit einem USB-C-Adapter
3. USB-C-Anschluss	Verbindet mit einem USB-C-Gerät
4. HDMI-Anschluss	Verbindet mit einem HDMI-Gerät
5. USB-A-Anschluss	Verbindet mit einem USB-A-Gerät
6. USB-A-Anschluss	Verbindet mit einem USB-A-Gerät

Spezifikationen

Schnittstelle:	USB-C (Host) x1	USB 3.2 Gen 1 5Gbps, PD 3.0 Passthrough-Unterstützung 5V/1.5A, 9V/2A, 15V/2A, 20V/4.25A, maximale Ladeleistung 85W
	USB-C (Gerät)	USB 3.2 Gen 1 5Gbps
	USB-A (Gerät) x2	USB 3.2 Gen 1 5Gbps
	HDMI (Gerät)	HDMI 1.4 Unterstützung 4K30Hz-Anzeige
	USB-C (Gerät) x1	Verbinde PD-Adapter, USB 3.2 Gen 1, 5 Gbps, PD 3.0 Passthrough-Unterstützung 5V/3A, 9V/3A, 15V/3A, 20V/5A maximale Ladeleistung 100W
Abmessungen & Gewicht	Länge	122mm/ 4.8inch
	Breite	35mm/ 1.38inch
	Höhe	13mm/ 0.51inch
	Gewicht	75g/ 0.22lb

2 JAHRE BESCHRÄNKTE GARANTIE

KUNDEN IN PORTUGAL UND SPANIEN: 3 JAHRE

BESCHRÄNKTE GARANTIE ODER WIE DURCH LOKALE GESETZE VORGESCHRIEBEN.

Wir sind stolz auf die Qualität unserer Produkte. Für vollständige Garantieinformationen und eine Liste unserer weltweiten Niederlassungen besuchen Sie bitte www.HyperShop.com. Die Hyper-Produktgarantie deckt keine Geräte oder Produkte ab, die nicht von Hyper hergestellt werden (einschließlich, aber nicht beschränkt auf Laptops, Smartphones, Geräte oder andere Produkte, die in Verbindung mit dem Hyper-Produkt verwendet werden können). Die eingeschränkte Hyper-Garantie unterliegt den Rechten und Rechtsmitteln, die der Käufer gemäß lokalen Gesetzen haben kann. Australische Kunden: Für vollständige Garantieinformationen siehe beiliegende Garantiebestimmung.

FR-Introduction

Le Hub USB-C HyperDrive Flex 5 Ports offre une connectivité pour les ordinateurs portables USB-C, permettant la connexion à plusieurs périphériques. Il comprend un port HDMI 4K30Hz pour des écrans externes, un port USB-C 100W PD passthrough pour la charge, un port USB-C (5Gbps) ainsi que deux ports USB-A (5Gbps) pour le transfert de données. Ce hub est conçu pour une expansion efficace et une compatibilité avec différents appareils. Il est également fabriqué avec 75 % de matériaux recyclés post-consommation et fait partie de notre catégorie de produits EcoSmart.

Contenu de l'emballage

- Hub USB-C HyperDrive Flex 5 Ports
- Guide d'utilisation

Exigences

- Le Hub USB-C HyperDrive prend en charge plusieurs appareils.
- Les appareils du Hub USB-C HyperDrive sont compatibles avec Windows, Chrome OS et macOS.
- Les appareils du Hub USB-C HyperDrive fonctionnent sans installation de pilotes supplémentaires.


Compatibilité Produit

- Windows® PC
- MacBook®
- Chromebook™

Système d'exploitation


- Windows 10/11, Chrome OS, macOS 10.14 and above, Android OS, IOS

Vue d'ensemble du produit



Comment se connecter

Connectez-vous à l'ordinateur portable via le port USB-C.



Cet équipement est conforme au règlement de la Commission européenne (UE) 2023/826.

Puissance en mode veille : < 0,5 W

Les données de test ci-dessus sont basées sur l'alimentation externe ci-dessous qui n'est pas incluse.

Informations sur l'alimentation externe :	Fabricant : Targus International LLC	
	Modèle : APA108	
	Caractéristiques d'entrée :	100-240Va.c., 50-60Hz, 1.8A
	Caractéristiques de sortie :	5Vdc, 3.0A; 9Vdc, 3.0A; 12Vdc, 3.0A; 15Vdc, 3.0A; 20Vdc, 5A

Répartition de l'alimentation

Élément	Description
1. Port USB-C	Se connecte à l'hôte
2. Port USB-C PD	Se connecte à un adaptateur USB-C
3. Port USB-C	Se connecte à un appareil USB-C
4. Port HDMI	Se connecte à un appareil HDMI
5. Port USB-A	Se connecte à un appareil USB-A
6. Port USB-A	Se connecte à un appareil USB-A

Spécifications

Interface : USB-C (Hôte) x1		USB 3.2 Gen 1 5Gbps, Prise en charge Pass-Through PD 3.0 5V/1.5A, 9V/2A, 15V/2A, 20V/4.25A, puissance de charge maximale 85W
USB-C (Périphérique)		USB 3.2 Gen 1 5Gbps
USB-A (Périphérique) x2		USB 3.2 Gen 1 5Gbps
HDMI (Périphérique)		HDMI 1.4 Prise en charge d'une résolution 4K30Hz
USB-C (Périphérique) x1		Connecter un adaptateur PD, USB 3.2 Gen 1, 5 Gbps, Prise en charge Pass-Through PD 3.0 5V/3A, 9V/3A, 15V/3A, 20V/5A puissance de charge maximale 100W
Dimension & Poids	Longueur	122mm/ 4.8 pouces
	Largeur	35mm/ 1.38 pouces
	Hauteur	13mm/ 0.51 pouces
	Poids	75g/ 0.22lb

GARANTIE LIMITÉE DE 2 ANS

CLIENTS DU PORTUGAL ET DE L'ESPAGNE : GARANTIE LIMITÉE DE 3 ANS OU SELON LES LOIS LOCALES.

Nous sommes fiers de la qualité de nos produits. Pour obtenir les détails complets de la garantie et la liste de nos bureaux dans le monde, veuillez consulter le site www.HyperShop.com. La garantie des produits Hyper ne couvre aucun appareil ou produit qui n'est pas fabriqué par Hyper (y compris, mais sans s'y limiter, les ordinateurs portables, les smartphones, les appareils ou tout autre produit pouvant être utilisé en relation avec le produit Hyper). La garantie limitée Hyper fournie est soumise à tous les droits et recours dont l'acheteur peut disposer en vertu des lois locales. Clients australiens : Pour les détails complets de la garantie, voir la déclaration de garantie jointe.

ES-Introducción

El HyperDrive Flex Hub USB-C de 5 Puertos proporciona conectividad para laptops con USB-C, permitiendo la conexión a múltiples periféricos. Incluye un puerto HDMI 4K30Hz para pantallas externas, un puerto USB-C con paso de corriente de 100W PD para carga, un puerto USB-C (5Gbps) y dos puertos USB-A (5Gbps) para transferencia de datos. Este hub está diseñado para una expansión eficiente y compatibilidad con varios dispositivos. También está fabricado con un 75% de materiales reciclados post-consumo y pertenece a nuestra categoría de productos EcoSmart.

Contenido del paquete

- Hub HyperDrive Flex USB-C de 5 Puertos
- Guía de usuario

Requisitos

- El Hub HyperDrive USB-C admite múltiples dispositivos.
- Los dispositivos del Hub HyperDrive USB-C son compatibles con Windows, Chrome OS y macOS.
- Los dispositivos del Hub HyperDrive USB-C son compatibles sin necesidad de instalación de controladores adicionales.


Compatibilidad de Producto

- Windows® PC
- MacBook®
- Chromebook™

Sistema Operativo


- Windows 10/11, Chrome OS, macOS 10.14 and above, Android OS, IOS

Descripción del Producto



Cómo Conectar

Conéctese al portátil a través del puerto USB-C.



Este equipo cumple con el Reglamento de la Comisión Europea (UE) 2023/826.
Consumo de energía en modo de espera: < 0.5W
Los datos de prueba anteriores se basan en la fuente de alimentación externa que se detalla a continuación y que no está incluida.

Información de la fuente de alimentación externa..:	Fabricante: Targus International LLC	
	Modelo: APA108	
	Clasificación de entrada:	100-240Va.c., 50-60Hz, 1.8A
	Clasificación de salida:	5Vdc, 3.0A; 9Vdc, 3.0A; 12Vdc, 3.0A; 15Vdc, 3.0A; 20Vdc, 5A

Distribución de Energía

Elemento	Descripción
1. Puerto USB-C	Se conecta al host
2. Puerto USB C PD	Se conecta a un adaptador USB-C
3. Puerto USB-C	Se conecta a un dispositivo USB-C
4. Puerto HDMI	Se conecta a un dispositivo HDMI
5. Puerto USB-A	Se conecta a un dispositivo USB-A
6. Puerto USB-A	Se conecta a un dispositivo USB-A

Especificaciones

Interfaz:	USB-C (Host) x1	USB 3.2 Gen 1 5Gbps, soporte de paso PD 3.0 5V/1.5A, 9V/2A, 15V/2A, 20V/4.25A, potencia de carga máxima 85W
	USB-C (Dispositivo)	USB 3.2 Gen 1 5Gbps
	USB-A (Dispositivo) x 2	USB 3.2 Gen 1 5Gbps
	HDMI (Dispositivo)	HDMI 1.4 soporte para pantalla 4K30Hz
	USB-C (Dispositivo) x1	Conectar adaptador PD, USB 3.2 Gen 1, 5 Gbps, soporte de paso PD 3.0 5V/3A, 9V/3A, 15V/3A, 20V/5A potencia máxima de carga 100W
Dimensiones y Peso	Longitud	122mm/ 4.8inch
	Anchura	35mm/ 1.38inch
	Altura	13mm/ 0.51inch
	Peso	75g/ 0.22lb

GARANTÍA LIMITADA DE 2 AÑOS

CLIENTES DE PORTUGAL Y ESPAÑA: 3 AÑOS DE GARANTÍA

LIMITADA O LA ESTIPULADA POR LA LEGISLACIÓN LOCAL.

Estamos orgullosos de la calidad de nuestros productos. Para obtener información acerca de la garantía completa y consultar nuestra lista de oficinas en todo el mundo, visite www.HyperShop.com. La garantía del producto de Hyper no cubre ningún dispositivo o producto que no haya sido fabricado por Hyper (incluyendo, entre otros, ordenadores portátiles, smartphones, dispositivos o cualquier otro producto que pueda utilizarse con el producto de Hyper). La Garantía Limitada de Hyper proporcionada está sujeta a cualquier derecho y recurso que el comprador pueda tener según la legislación local. Clientes australianos: Para obtener información acerca de la garantía completa, consulte la declaración de garantía adjunta.

Safety Instructions

- Do not expose to moisture or submerge in liquid.
- Store in a cool, dry place. Recommended storage temperature: -10°C/14°F to 70°C/158°F; Operating temperature: 0°C/32°F to 40°C/104°F.
- Do not disassemble or attempt to re-purpose or modify the product in any manner.
- Stop using and contact manufacturer if the product is excessively hot, emitting odor, deformed or if you witness any other abnormalities.
- Avoid strenuous vibration, impact, extrusion on transportation, and keep the product away from intense sunlight and rain.
- Please dispose of discarded products properly according to local regulations.
- Do not clean with harmful chemicals or detergents.
- Keep away from children under 3 years old for safety.
- Be cautious of drops, bumps, abrasions, or impact.
-  The symbol indicates DC voltage

AUSTRALIAN AND NEW ZEALAND CONSUMERS ONLY

Thank you for your purchase. Hyper warrants to the original purchaser that its products are free from defects in materials and workmanship and, during the specified warranty period, and lasts as long as the original purchaser owns the product. The warranty period is stated on the packaging or in the documentation provided with this Hyper product. Hyper's Limited Product Warranty excludes damage caused by accident, neglect, abuse, misuse, improper care, normal wear and tear, ownership transfer, or alteration. The limited warranty also excludes any product that is not manufactured by Hyper (including, without limitation, laptops, smartphones, devices, tablets, or any other non-Hyper item) that is used in connection with the Hyper product. In the event that the Hyper product has a defect in materials or workmanship Hyper will, after receiving a warranty claim and inspecting the product, at its discretion, do one of the following: repair, replace, or refund with the same or a similar product (or part) of no lesser quality and ship it to the original purchaser at Hyper's expense. As part of this inspection, proof of purchase will be required. There is no charge for inspection. To make a warranty claim, please contact Hyper Australia or New Zealand (see details below), or return the product to the place of purchase. The original purchaser must bear the cost of the delivery to Hyper. Under Australian and/or New Zealand Consumer Laws, in addition to any warranty Hyper gives, our products come with guarantees that cannot be excluded. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are entitled to have the products repaired or replaced if they fail to be of acceptable quality and the failure does not amount to a major failure.

For any warranty question, contact Targus Australia Pty. Ltd. (i) by mail at Suite 2, Level 8, 5 Rider Boulevard, Rhodes NSW 2138, by phone AUS 1800 641 645 or NZ 0800 633 222 or by Email: infoaust@targus.com. For additional information, check out our website at targus.com/au/warranty.

Technical Support

For technical questions, please visit:

Hyper Customer Support Email:

support@hypershop.com

Hyper Customer Support Phone:

+1-408-737-7878 (non-USA); 1-888-202-1888 (USA)

US Internet:

<http://targus.com/us/support>

Canada Internet:

<http://www.targus.com/ca/support>

Australia Internet:

<http://www.targus.com/au/support>

Email:

infoaust@targus.com

Telephone:

1-800-641-645

New Zealand Telephone:

0800-633-222

Latin America Email:

latam.soporte@targus.com



Supplier's Declaration of Conformity



Manufacturer/ Responsible Party:
Address: 1211 N.Miller St., Anaheim,
CA 92806 USA

Tel: 1-844-674-6789
Fax: 1-714-765-5599
Internet: www.hypershops.com

Hereby declares that the Product

Trade name: HYPER

Product name: 5 Port USB-C Mobile Dock

Model number: HD4101

Conforms to the following specifications

FCC CFR Title 47 Part 15 Subpart B and ANSI C63.4-2014 standard limits
The test data & results are referred to the test report umber: FS2502WDG0192

Supplementary Information:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Head of Product - Hyper
Function Title

Yu-Wen Chen
Name

03/20/2025
Date


Signed for and on behalf of HYPER



Declaration of Conformity



Manufacturer: Hyper Products Inc
Address : 1211 N.Miller St., Anaheim, CA
92806 USA

Tel: 1-714-765-5555
Fax: 1-714-765-5599

Importer: Targus Europe Ltd
Address: Fourth Floor One London Road
Staines, TW18 4EX, UK

Internet: www.targus.com
Tel: +44 (0)20 8831 2000

We herewith confirm the following designated product 5 Port USB-C Mobile Dock, Model No. HD4101, Brand name "HYPER", complies with below UK legislation and relevant standards.

For the evaluation regarding the below legislation, the following standards were applied:

Electromagnetic Compatibility Regulations 2016

BS EN 55032: 2015+A1:2020

EN IEC 61000-3-2: 2019+A1: 2021

EN 61000-3-3: 2013+A2:2021+AC:2022-01

BS EN 55035: 2017+A11:2020

General Product Safety Regulations 2005

BS EN IEC 62368-1:2020+A11:2020

The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

EN IEC 63000:2018

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Head of Product - Hyper

Yu-Wen Chen

Function Title

Name

03-20-2025 / Hong Kong

Date / Place of Issue

Signed for and on behalf of HYPER



Manufacturer: Hyper Products Inc
Address : 1211 N.Miller St., Anaheim, CA
92806 USA

Tel: 1-714-765-5555
Fax: 1-714-765-5599

Importer: Targus Europe Ltd
Address: Targus EMEA Account Management
Van Hilstraat 19, 5145 RK Waalwijk,
Netherlands

Internet: www.targus.com
Tel: +44 (0)20 8831 2000

We herewith confirm the following designated product 5 Port USB-C Mobile Dock, Model No. HD4101, Brand name "HYPER", complies with EMC directive 2014/30/EU, General Product Safety Regulation (EU) 2023/988, COMMISSION REGULATION (EU) 2023/826, EU ROHS Directive 2011/65/EU and its amendment Directive (EU) 2015/863.

For the evaluation regarding the above Directives, the following standards were applied:

EMC directive 2014/30/EU

EN 55032: 2015+A1:2020

EN IEC 61000-3-2: 2019+A1: 2021

EN 61000-3-3: 2013+A2:2021+AC:2022-01

EN 55035: 2017+A11:2020

General Product Safety Regulation (EU) 2023/988

EN IEC 62368-1:2020+A11:2020

COMMISSION REGULATION (EU) 2023/826

EN 50564:2011

RoHS Directive: 2011/65/EU and its amendment Directive (EU) 2015/863

EN IEC 63000:2018

Year to begin CE marking: 2025

Head of Product – Hyper

Yu-Wen Chen

Function Title

Name

03-20-2025 / Hong Kong

Date / Place of Issue

Signed for and on behalf of HYPER

(This page intentionally left blank)

