

PT-1C

EDID Processor







The PT-1C is an EDID processor for HDMI signals. It allows you to lock EDID signals and to support or not support HDCP, multi-channel audio or deep color signals that may or may not be compatible with the display.

FEATURES

- Max. Data Rate 10.2Gbps (3.4Gbps per data channel).
- HDMI Compatible.
- HDCP Compliant.
- Line Powered Device Power taken from the HDMI line, no power supply is needed.
- Indicator Power LED.
- Controls Four program DIP-switches control desired functions.

PT-1C

TECHNICAL SPECIFICATIONS

INPUT: 1 HDMI connector.

OUTPUT: 1 HDMI connector.

MAX DATA RATE: 10.2Gbps (3.4Gbps per data channel).

STANDARDS SUPPORTED: Supports HDMI and HDCP.

CONTROLS: 4 DIP-switches. INDICATOR: Power LED.

POWER REQUIREMENTS: Takes power from the HDMI line. OPERATING TEMPERATURE: 0° to +40°C (32° to 104°F).

STORAGE TEMPERATURE: -40° to +70°C (-40° to 158°F).

HUMIDITY: 10% to 90%, RHL non-condensing.

DIMENSIONS: 6.22cm x 2.41cm x 5.24cm (2.45" x 0.95" x 2.06") W, D, H.

WEIGHT: 0.04kg (0.09lbs) approx. OPTIONS: $RK-4PT\ 19$ " rack adapter.

